

# Hangler TPS-H 280 Jumbo-Z 3 akslet, Low loader



Scanvo Trucks Danmark A/S  
Hårup Skovvej 7, Hårup  
8600 Silkeborg

Sælger  
Salgsafdeling  
salg@scanvo.dk  
+45 8724 4370  
+45 3046 2148 / 2498 2148 / 2497 2148

Registration		Weight		Dimensions	
Model year	2024	Loading capacity kg	ca. 18880	External width mm	2520 og 3000mm
Chassis number (VIN)	0008	Overall weight kg	25000	Internal length mm	6350 planstykke + 1050 knæk
Ref. no.	7369	Tare weight kg	ca. 6120	Width mm	2550
Brand new	✔	King pin kg	1000	Truck bed height mm	890
<b>Basis</b>		Total weight, low loader kg	28000	<b>Suspension</b>	
Type	Drawbar	Load capacity, low loader kg	21880	Air	✔
Aksel	3	<b>Low loader</b>		<b>Chassis</b>	
Stand	Brand new	Hydraulic ramps	✔	Wheelbase mm	1410 + 1410
<b>Tyres</b>		Wide load signs	✔	Toolbox	✔
% remaining	100	<b>Coupling</b>		Total length mm	9450 + 300 ramper
Dimensions	235/75R17,5	Brand	VBG 57 mm	Hydraulic 2.	✔
<b>Auto transport</b>		Air-coupling	Duo-Matic	Shaft type	SAF
Platform length	7500 mm	Manufacturer	57 mm trækøje	Liftable axles	1. aksel
<b>Brakes</b>		V "KN air"	59	<b>Truck body / box</b>	
Brakes	SAF	V "KN no air"	G-erklæring ændres	Bottom	70 mm træplanker, riflet stålbund
Drum brakes	✔	Coupling height mm	700/800/900	Lashing rings in the bottom	✔
ABS	✔			Load highness mm	890
				Foldable lashing rings	✔

## Beskrivelse

New Hangler TPS-H 280 Jumbo-Z 3-axle machine cart

7400 mm bed = 6350 mm flat section + 1050 mm hinge at the back - low loading height of 890 mm  
hydraulic ramps 2,800 x 750mm with manual side shift are operated via the truck's hydraulics, which have a throttle valve installed so that the pressure can be adjusted manually  
SAF axles - drum brakes, air suspension - axle lift on 1st axle - 235/75R17.5 M+S approved tires  
Trailer info center control box which provides information on axle load, kilometers etc.  
70 mm wooden planks at the bottom, as well as grooved steel above the wheel arches  
2 x 5 pcs. chop stick holes in edge rail - 12 pcs. 10-ton lashings - 12 pcs. 5-tonne lashings - Extension for spreading planks - 4 pieces wide load signs with extension  
toolbox  
57mm draw eye - Coupling height 700/800/900 mm - coupling length is 9450 mm + 300 mm ramps  
front gear support leg and 2 pcs. foldable support leg in the back for relief when loading via the ramps  
1 pc. removable rotor light - 3 chamber LED rear lights - 1x15-pole + 2x7-pole light plug -  
Galvanized chassis and ramps.

Approved for block wagon driving 60 km/h : 28,000 kg / load 21,880 kg and fast runner 90 km/h : 25,000 kg / load 18,880 kg

Contact us for a demonstration - and we will build a new one according to your wishes

Immediate delivery - Archive photos from previous deliveries subject to typing and printing errors

~~We always have a wide selection of new and used transport equipment~~  
- Contact us already today on +45 8724 4370 to hear more about this car!

- AN OFFER YOU CAN'T REFUSE

As a dealer of products from the Austrian manufacturer Hangler, which for many years has produced powerful, strong trailer products for some of the toughest tasks. The product range is wide ranging - from machine, built-in, heavy-duty or curtain trailers, carts, etc. with this you receive a well-equipped product for the tough tasks that are often carried out in the Scandinavian and Nordic countries.







