Legras 91,8 m3 Eco-Top - Topudstyret, Walkingfloor





Scanvo Trucks Danmark A/S Hårup Skovvej 7, Hårup 8600 Silkeborg

Sælger Salgsafdeling salg@scanvo.dk +45 8724 4370 +45 3046 2148 / 2498 2148 / 2497 2148

Basis	
Туре	Semi-Trailer
Aksel	3
Stand	Brand new
Suspension	
Air	×
Brakes	
Drum brakes	×
Truck body / box	

Bottom

assis		

Wheelbase mm 1-2 1310 & 2-3	1810mm
Axle load, rear kg	27000
Wheelbase to 1. axel mm	7270
Self-tracking axle	
Shaft type	BPW
Liftable axles	1.
Stool height mm	1150
Dimensions	
Internal height mm Front: 2700, Bag:	2775 mm
Internal width mm	2480
Internal length mm	13515

Tyres	
% remaining	100 - 100 - 100
Dimensions	385/65 R22,5"
Alloy wheels	✓
Registration	
Model year	2024
Ref. no.	5119
Brand new	 ✓
Weight	
Loading capacity kg	35040
Overall weight kg	45000
Tare weight kg	9960

Beskrivelse

- LEGRAS 91.8m3 TOP-equipped walkingfloor trailer
- EcoTop automatic tarpaulin
- Strong 13mm floor
- Hardox wear plate at the rear
- BPW axles with drum brakes
- Lift axle on axle 1
- Co-steering axle 3
- Grease block on the side for co-steering axle
- 45,000kg total weight according to new weight rules - Alcoa DuraBright alloy wheels
- Hydraulic lifting of the overlay in the back - Extra reinforced gooseneck adapted to 3,150mm puller
- Tire pressure control (TPMS)
- Wireless remote control for floor, roof and overlay
- Door in the front
- Integrated storm protection in the side wall for the EcoTop
- Position lights, brake lights and turn signals at the top in the back

13mm

- 2 x 8 pcs. LED side markings on each side (top+bottom)
- Prepared for floor tarpaulin
- Air outlet at the rear
- BoxNordic heavy duty tool boxes on the left side
- Control valves mounted in BoxNordic boxes
- Operation for rear door lock mounted externally
- Electrical junction box mounted in tool box
- Side skirts
- Spare wheel suspension
- Broom/forest fittings
- 1 x 6kg fire extinguisher
- 1 x loose aluminum ladder
- Box painted in Scania Ivory White
- Chassis painted RAL3002 red









































































