

Hangler 3-aks, Hydraulisk ramper, Galvaniseret., Low loader



Scanvo Trucks Danmark A/S
 Hårup Skovvej 7, Hårup
 8600 Silkeborg

Sælger
 Salgsafdeling
 salg@scanvo.dk
 +45 8724 4370
 +45 3046 2148 / 2498 2148 / 2497 2148

Registration

Model year 2024
 Ref. no. 4556

Basis

Type Trailer
 Aksel 3
 Stand Brand new

Tyres

% remaining 100
 Dimensions 235/75R22,5

Brakes

Drum brakes

Weight

Loading capacity kg 17900
 Overall weight kg 24000
 Tare weight kg 6100
 Total weight, low loader kg 33000
 Load capacity, low loader kg 26900

Low loader

Hydraulic ramps

Truck body / box

Bottom Træ
 Lashing rings in the bottom

Coupling

Electrical coupling 2x7-polet
 Air-coupling Duo-matic
 Manufacturer 57mm
 Coupling height mm 800

Suspension

Air

Chassis

Toolbox
 Total length mm 9800-10400
 Shaft type SAF

Beskrivelse

Hangler 3-axle machine trailer with hydraulic ramps and galvanized chassis

SAF axles with drum brakes - Air-sprung - Tool box - Extra work light - 9800-10400 mm coupling length - 800mm coupling height - 2x7-pole electrical plug - Duo-matic air coupling - 57mm towing eye - 235/75R22.5 tire mounting.

- Galvanized chassis - Retractable extensions in the edge rail - Extension planks in the middle of the bed base - Extendable and removable wide load signs - 10-tonne + 5-tonne lashing eyes - Hydraulic ramps 2,800x750mm - Ramps manually side-shiftable - Bed base covered with 70mm larch wood - Storage space at the front of the landing.

Height of built-in shed floor approx. 880mm - Height of shed bottom landing approx. 1,080mm - Length of built-in shed floor at the outermost approx. 6,000mm - Length of shed bottom landing approx. 1,750mm - Length of the slope between the landing-reduced approx. 300mm.

Contact Scanvo +45 87244370 or email salg@scanvo.dk for further information.



