

## Hangler DTS-H 300 P 3 akslet med ramper, Low loader



Scanvo Trucks Danmark A/S Hårup Skovvej 7, Hårup 8600 Silkeborg

Sælger Salgsafdeling salg@scanvo.dk +45 8724 4370 +45 3046 2148 / 2498 2148 / 2497 2148

Registration	
Model year	2024
Chassis number (VIN)	0014
Ref. no.	7384
Brand new	<b>✓</b>

Basis	
Туре	Trailer
Aksel	3
Stand	Brand new
Tyres	
% remaining	100
Dimensions	235/75R17,5
Auto transport	
Platform length	7800 mm
Brakes	

Weight			
Loading capacity kg		19960	
Overall weight kg		27000	
Tare weight kg		7040	
Total weight, low loade	r kg	32136	
Load capacity, low load	ler kg	25096	
Low loader			
Outriggers with planks		✓	
Hydraulic ramps		✓	
Wide load signs		✓	
Coupling			
Air-coupling		DuoMatic	
Manufacturer	57 mi	57 mm trækøje	
Variable drawbar	JA + 6	x 100mm	
Coupling height mm		820	
Suspension			

Dimensions	
External length mm	7800
Internal length mm6850 + 950 på kr	nækket
Width mm	2550
Load highness at back mm	900
Chassis	
Toolbox	✓
Total length mm min 10000 - max 10600 + 250 mm i	ramper
Hydraulic 2.	✓
Working light	✓
Shaft type	SAF
Axle load kg 10,7 + 10,7	+ 10,7
Truck body / box	
Bottom 70 mm træplanker, riflet st	ålbund
Lashing rings in the bottom	✓
Holes for Sockets	₩
Foldable lashing rings	<b>✓</b>

## Beskrivelse

Drum brakes

New Hangler 3-axle machine trailer

Built with: 7800 mm flat section 6850 + 950 mm - hydraulic ramps L 2800 mm x W 750 mm operated via the hydraulics of the front carriage, the hydraulic system is also fitted with a throttle valve so the pressure can be adjusted manually Manual lateral displacement option for additional purchase of hydraulic lateral displacement of loading ramps - SAF 11 ton axles with drum brakes and air suspension - 70 mm wooden planks at the bottom, as well as grooved steel above the wheel arches - 2 x 5 pcs. chop stick holes in edge rail - 2 x 8 pcs. 10 ton lashing eyes in edge rail - as well as 2 pcs 5 ton at the front

Air

Low loading height of 900 mm - Extra 70 mm widening planks which lie in the middle recessed in the bottom of the tray - 4 pcs. spreader plates with extension - movable drawbar with 57 mm draw eye and coupling height 820 mm - stainless tool box - magazine box built into rapo for storing chains etc.

Approved for block wagon driving 60 km/h: 32,136kg / load 25,096kg and fast runner 90 km/h: 24,000kg / load 16,960kg Delivered from stock with galvanized undercarriage, the ramps are galvanized - the hanger can also be specified as desired in the desired RAL color

Contact us today on +45 8724 4370 to find out more! We always have a wide selection of new and used units

As a dealer of products from the Austrian manufacturer Hangler, which for many years has produced powerful, strong trailer products for some of the toughest tasks. The product range is wide ranging - from machine, built-in, heavy-duty or curtain trailers, carts, etc. with this you receive a well-equipped product for the tough tasks that are often carried out in the Scandinavian and Nordic countries.







































