Hangler 3-aks kærre alu-sider + alu-ramper, open





Scanvo Trucks Danmark A/S Hårup Skovvej 7, Hårup 8600 Silkeborg

Sælger Salgsafdeling salg@scanvo.dk +45 8724 4370

+45 3046 2148 / 2498 2148 / 2497 2148

Registration	
Model year	2025
Ref. no.	4789
Brand new	✓

Basis	
Туре	Drawbar
Aksel	3
Stand	Brand new
Turoc	

Tyres	
% remaining	100
Dimensions	235/75 R17,5"

✓

✓
✓

Weight	
Loading capacity kg	19960
Overall weight kg	25000
Tare weight kg	5040
King pin kg	1000
Coupling	

Coupling	
Electrical coupling	2x7-polet
Air-coupling	Duo-Matic
Manufacturer	57mm
Coupling height mm	700/800/900mm

Dimensions	
Internal height mm	1000 front / 600 bag
Internal width mm	2480
Internal length mm	7200

Chassis	
Wheelbase mm	1410 - 1410
Wheelbase to 1. axe	el mm 4240
Total length mm	9000-9600
Shaft type	SAF
Liftable axles	1. og 3.
Axle load kg	24000 / teknisk 27000
Truck body / box	
Bottom	Hårdtræ
Boards	
Height of boards mn	n 600
Kinnegrip	√
Lashing rings in the bottom	

Beskrivelse

HANGLER carts with 600mm aluminum sides.

- Incl. 12-ton aluminum ramps

The cart is, among other things, features

- SAF axles with drum brakes
- Lift axle on axles 1 and 3
- Movable drawbar 6x100mm
- Drawbar length 1,800-2,400mm
- 57mm draw eye
- 600mm foldable and removable aluminum sides
- Kinnegrip posts foldable and removable
- 1,000mm front wall (removable)
- Pockets at the back for pallet forks
- Removable LAXO container locks for 20" container
- 3 pieces. extendable bars in the back, on which the tailgate can be folded down
- Loose 2,400mm 12-tonne ramps in magazine under chassis
- Foldable support legs at the rear
- Wabco SmartBoard with km counter
- 4 pcs. LED work lights
- Load length approx. 7,200 mm
- Barn floor height approx. 900mm
- Fully galvanized chassis + lacquered edge rail

Pt. location in Horsens

See our large selection of new and used carts on our website www.scanvo.dk



















































