

DAF XF 430 FAW 8x4*4 Tridem, Chassis



Scanvo Trucks Danmark A/S
 Hårup Skovvej 7, Hårup
 8600 Silkeborg

Sælger
 Salgsafdeling
 salg@scanvo.dk
 +45 8724 4370
 +45 3046 2148 / 2498 2148 / 2497 2148

Basis		Engine and transmission		Fahrhaus ausen	
Type	Truck	Engine	MX13 = 12,9 ltr.	Color	WHITE
Aksel	8x4*4	Hp	430	LED front light	✓
Stand	Brand new	Km	1000	Chassis	
Registration		Gear box	TraXon 12- speed aut shift	Wheelbase mm	3600
Model year	2023	EURO type	6	Axle load, front kg	9000
Reg. date	14-08-2023	Number of tanks	1	Hydraulically steered rear axle	✓
Ref. no.	7509	Litre of tank	220	Tyres	
Cab		Rear axle, single interchange	✓	% remaining	100
Cab type	Super Space cab	Ad-blue	✓	Dimensions	385/65R22,5 - 315/80R22,5 - 315/80R22,5 - 385/65R22,5
Number of sleeper berths	1	PTO engine	✓	Brakes	
Engine cab heater	✓	PTO gearbox	✓	ABS	✓
Radio	✓	Adblue litre of tank	45	Engine brake	MX – heavy
Multifunction steering wheel	✓	Without clutch pedal	✓	Weight	
Automatic air conditioning	✓	Coupling		Overall weight kg	33000
Suspension		Manufacturer			
Front, parable	✓				
Air	✓				

Beskrivelse

Immediate delivery - at a bargain price!

DAF XF 430 8x4*4 FAW chassis euro 6
 Wheelbase 3600 mm - center bogie axle 2050 mm chassis overhang - total chassis length 7550 mm - chassis height 1040 mm
 MX13 = 12.9 ltr. Engine 315kW v/2300 revolutions
 MX – engine brake (powerful version)
 Automatic gear change TraXon, 12-speed
 Single geared rear gear with differential lock ratio 3.09: 1 which has traction on both 2nd + 3rd axle
 Motor PTO
 9 ton front axle with parabolic suspension in front + air in the back
 4th axle steering and liftable

Light and air led to the rear to the cart/trailer

Here is the opportunity to get a chassis for immediate delivery
 You decide the structure yourself: hook or cable hoist - knee beam - front crane fixed - box for controlled underboring or other alternative

Contact Scanvo Trucks +45 87244370 - or email salg@scanvo.dk

Visit our website www.scanvo.dk and see more than 300 units from our warehouse





