





Scanvo Trucks Danmark A/S Hårup Skovvej 7, Hårup 8600 Silkeborg

Sælger Salgsafdeling salg@scanvo.dk +45 8724 4370 +45 3046 2148 / +45 2498 2148

THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	
Registration	
Model year	2025
Chassis number (VIN)	0003
Ref. no.	7593
Brand new	✓
Basis	
Туре	Trailer
Aksel	4
Stand	Brand new
Tyres	
% remaining	100
Dimensions	235/75R17,5
Auto transport	
Platform length	8600 mm
Suspension	
Air	✓

Brakes	
Drum brakes	✓
ABS	✓
Weight	
Loading capacity kg	22540
Overall weight kg	30000
Tare weight kg	7460
Total weight, low loader kg	42800
Load capacity, low loader kg	35340
Low loader	
Outriggers with planks	✓
Double ramp	√
Hydraulic ramps	✓
Wide load signs	✓
Truck body / box	
Bottom 70 mm træplanker, rifle	t stålbund
Lashing rings in the bottom	

Coupling	
Brand	VBG 57 mm
Air-coupling	Duomatic
Variable drawbar	ja
Coupling height mm	800
Dimensions	
Internal length mm 57	50 + 2850mm på repo
Width mm	2550
Load highness at side	e mm1080mm på rapo
Truck bed height mm	900
Chassis	
Toolbox	✓
Total length mm	9950-10550mm
Shaft type	SAF
Axle load kg	11 + 11 + 11 + 11

Beskrivelse

New Hangler VTS-H 400 4-axle machine trailer - double ramps

8600 mm bed length - Fully galvanized chassis and ramps

hydraulic galvanized ramps 2 split ramps L 2800mm + 800mm - W 750mm - hydraulic lateral shift is operated via the vehicle's hydraulics, the hydraulic system is also fitted with a throttle valve so the pressure can be adjusted manually

SAF 11 ton axles with drum brakes and air suspension with raising/lowering function

235/75R17.5 tire mounting with M+S approved pattern

70 mm wooden planks at the bottom, as well as grooved steel above the wheel arches - 2 x 5 pcs. chop stick holes in edge rail - 2 x 8 pcs. 10 ton lashing eyes in edge rail - 2 pcs 5 ton at the front - low loading height of 900 mm - Extra 70 mm for widening planks which are located in the middle recessed in the bottom of the tray

Storage magazine for chains / straps built into rapo

movable drawbar with 57 mm draw eye, minimum coupling length 9950 mm can be increased by 600 mm stainless tool box

LED 3 chamber rear lights

4 pcs. extendable wide load signs with reflex planks and LED position lights up to 3000 mm

4 pcs. LED work lights (2 pcs. at the side + 2 pcs. at the back)

Removable rotor indicator on one ramp

Approved for block wagon driving 60 km/h : 42,800 kg / load 35,340 kg - at 90 km/h : 30,000 kg / load 22,540 kg

Pipeline expected to be ready for delivery week 21 2024 - Archive photos from previous deliveries, the one on the way is with 2 split ramps

Subject to printing and typing errors

We always have a wide selection of new and used units - Call for more information on delivery time - AN OFFER YOU CAN'T REFUSE - Contact us today on +45 8724 4370 to find out more!

As a dealer of products from the Austrian manufacturer Hangler, which for many years has produced powerful, strong trailer products for some of the toughest tasks. The product range is wide ranging - from machine, built-in, heavy load or curtain trailers, carts, etc. with

this you receive a well-equipped product for the tough tasks that are often carried out in the Scandinavian and Nordic countries.











































