

# Hangler DTS-H 300 P 3 akslet med ramper, Low loader



Scanvo Trucks Danmark A/S  
 Hårup Skovvej 7, Hårup  
 8600 Silkeborg

Sælger  
 Salgsafdeling  
 salg@scanvo.dk  
 +45 8724 4370  
 +45 3046 2148 / +45 2498 2148

| Registration          |             | Weight                      |                | Dimensions                  |                                       |
|-----------------------|-------------|-----------------------------|----------------|-----------------------------|---------------------------------------|
| Model year            | 2025        | Loading capacity kg         | 19960          | External length mm          | 7800                                  |
| Chassis number (VIN)  | 0014        | Overall weight kg           | 27000          | Internal length mm          | 6850 + 950 på knækket                 |
| Ref. no.              | 7384        | Tare weight kg              | 7040           | Width mm                    | 2550                                  |
| Brand new             | ✓           | Total weight, low loader kg | 32136          | Load highness at back mm    | 900                                   |
| <b>Basis</b>          |             | <b>Low loader</b>           |                | <b>Chassis</b>              |                                       |
| Type                  | Trailer     | Outriggers with planks      | ✓              | Toolbox                     | ✓                                     |
| Aksel                 | 3           | Hydraulic ramps             | ✓              | Total length mm             | min 10000 - max 10600 + 250 mm ramper |
| Stand                 | Brand new   | Wide load signs             | ✓              | Hydraulic 2.                | ✓                                     |
| <b>Tyres</b>          |             | <b>Coupling</b>             |                | <b>Working light</b>        |                                       |
| % remaining           | 100         | Air-coupling                | DuoMatic       | Shaft type                  | SAF                                   |
| Dimensions            | 235/75R17,5 | Manufacturer                | 57 mm trækøje  | Axle load kg                | 10,7 + 10,7 + 10,7                    |
| <b>Auto transport</b> |             | Variable drawbar            | JA + 6 x 100mm | <b>Truck body / box</b>     |                                       |
| Platform length       | 7800 mm     | Coupling height mm          | 820            | Bottom                      | 70 mm træplanker, riflet stålbund     |
| <b>Brakes</b>         |             | <b>Suspension</b>           |                | Lashing rings in the bottom | ✓                                     |
| Drum brakes           | ✓           | Air                         | ✓              | Holes for Sockets           | ✓                                     |
| ABS                   | ✓           |                             |                | Foldable lashing rings      | ✓                                     |

## Beskrivelse

New Hangler 3-axle machine trailer

Built with: 7800 mm flat section 6850 + 950 mm - hydraulic ramps L 2800 mm x W 750 mm operated via the hydraulics of the front carriage, the hydraulic system is also fitted with a throttle valve so the pressure can be adjusted manually  
 Manual lateral displacement option for additional purchase of hydraulic lateral displacement of loading ramps - SAF 11 ton axles with drum brakes and air suspension - 70 mm wooden planks at the bottom, as well as grooved steel above the wheel arches - 2 x 5 pcs. chop stick holes in edge rail - 2 x 8 pcs. 10 ton lashing eyes in edge rail - as well as 2 pcs 5 ton at the front

Low loading height of 900 mm - Extra 70 mm widening planks which lie in the middle recessed in the bottom of the tray - 4 pcs. spreader plates with extension - movable drawbar with 57 mm draw eye and coupling height 820 mm - stainless tool box - magazine box built into rapo for storing chains etc.

Approved for block wagon driving 60 km/h : 32,136kg / load 25,096kg and fast runner 90 km/h : 24,000kg / load 16,960kg  
 Delivered from stock with galvanized undercarriage, the ramps are galvanized - the hanger can also be specified as desired in the desired RAL color

Contact us today on +45 8724 4370 to find out more!  
 We always have a wide selection of new and used units

As a dealer of products from the Austrian manufacturer Hangler, which for many years has produced powerful, strong trailer products for some of the toughest tasks. The product range is wide ranging - from machine, built-in, heavy-duty or curtain trailers, carts, etc. with this you receive a well-equipped product for the tough tasks that are often carried out in the Scandinavian and Nordic countries.





