Hangler TPS-H 280 Jumbo-Z 3 akslet, Low loader





Scanvo Trucks Danmark A/S Hårup Skovvej 7, Hårup 8600 Silkeborg

Sælger Salgsafdeling salg@scanvo.dk +45 8724 4370

+45 3046 2148 / +45 2498 2148

Registration	
Model year	2025
Chassis number (VIN)	0008
Ref. no.	7369
Brand new	✓
Basis	
Туре	Drawbar
Aksel	3
Stand	Brand new
Tyres	
% remaining	100
Dimensions	235/75R17,5
Auto transport	
Platform length	7500 mm
Brakes	

Loading capacity kg	ca. 18880
Overall weight kg	25000
Tare weight kg	ca. 6120
King pin kg	1000
Total weight, low load	der kg 28000
Load capacity, low loa	ader kg 21880
Low loader	
Hydraulic ramps	✔
Wide load signs	✓
Coupling	
Brand	VBG 57 mm
Air-coupling	Duo-Matic
Manufacturer	57 mm trækøje
V "KN air"	59
V "KN no air"	G-erklæring ændres
Coupling height mm	700/800/900

Dimensions	
External width mm	2520 og 3000mm
Internal length mm	
6350 plan	istykke + 1050 knæk
Width mm	2550
Truck bed height mm	890
Suspension	
Air	✓
Chassis	
Wheelbase mm	1410 + 1410
Toolbox	✓
Total length mm	9450 + 300 ramper
Hydraulic 2.	✓
Shaft type	SAF
Liftable axles	1. aksel
Truck body / box	
Bottom 70 mm træpl	anker, riflet stålbund
Lashing rings in the bottom	
Load highness mm	890
Foldable lashing rings	✓

Beskrivelse

Brakes Drum brakes

ABS

New Hangler TPS-H 280 Jumbo-Z 3-axle machine cart

7400 mm bed = 6350 mm flat section + 1050 mm hinge at the back - low loading height of 890 mm

hydraulic ramps 2,800 x 750mm with manual side shift are operated via the truck's hydraulics, which have a throttle valve installed so that the pressure can be adjusted manually

SAF axles - drum brakes, air suspension - axle lift on 1st axle - 235/75R17.5 M+S approved tires

Weight

Trailer info center control box which provides information on axle load, kilometers etc.

SAF

70 mm wooden planks at the bottom, as well as grooved steel above the wheel arches

2 x 5 pcs. chop stick holes in edge rail - 12 pcs. 10-ton lashings - 12 pcs. 5-tonne lashings - Extension for spreading planks -

4 pieces wide load signs with extension toolbox

57mm draw eye - Coupling height 700/800/900 mm - coupling length is 9450 mm + 300 mm ramps front gear support leg and 2 pcs. foldable support leg in the back for relief when loading via the ramps 1 pc. removable rotor light - 3 chamber LED rear lights - 1x15-pole + 2x7-pole light plug -

Galvanized chassis and ramps.

Approved for block wagon driving 60 km/h: 28,000 kg / load 21,880 kg and fast runner 90 km/h: 25,000 kg / load 18,880 kg

Contact us for a demonstration - and we will build a new one according to your wishes

Immediate delivery - Archive photos from previous deliveries subject to typing and printing errors

We always have a wide selection of new and used transport equipment

- Contact us already today on +45 8724 4370 to hear more about this car!

- AN OFFER YOU CAN'T REFUSE











































