

Hangler 4-aks 2-delt heldækkende rampe, Low loader



Scanvo Trucks Danmark A/S
Hårup Skovvej 7, Hårup
8600 Silkeborg

Sælger
Salgsafdeling
salg@scanvo.dk
+45 8724 4370
+45 3046 2148 / +45 2498 2148

Basis		Chassis		Tyres	
Type	Semi-Trailer	Toolbox	✓	% remaining	100
Aksel	4	Shaft type	SAF	Dimensions	235/75 R17,5"
Stand	Brand new	Liftable axles	1.	Registration	
Suspension		Axle load kg	30000	Model year	2025
Air	✓	Stool height mm	1200	Ref. no.	5078
Brakes		Self steering Axles	3+4.	Brand new	✓
Drum brakes	✓			Weight	
				Loading capacity kg	37400
				Overall weight kg	48000
				Tare weight kg	10600
				King pin kg	18000
				Total weight, low loader kg	62000
				Load capacity, low loader kg	51400

Beskrivelse

HANGLER 4-axle machine trailer
- full-covering 4,200mm ramps with steel grating

The trailer is, among other things, built with:

- SAF axles with drum brakes
- Lift axle on axle 1
- Co-steering axle 3+4
- 26 pcs. 10-ton lashing points
- 4 pcs. 5-ton lashing points
- Retractable extensions in the side rails
- 3 pieces. stainless tool boxes
- Slope storage room for landing
- Electro-hydraulic pump station for ramp 24V
- Galvanized chassis
- Cane holes along both sidewalls
- 235/75 R17.5" twin mounted wheels, steel rims
- TPMS tire pressure monitoring
- Air outlet for measuring brake pressure
- 4 pcs. LED work lights - 2 pcs. on the side + 2 at the back
- 4 pcs. 3-chamber LED rear lights
- 4 pcs. extendable wide load signs
- Removable aluminum sides on landing
- Barn floor covered with 70mm planks of larch wood
- Load length on lowered part approx. 9,200 mm
- Load length on rest approx. 4,000 mm
- Load bed height at driving level approx. 910mm
- 2 pcs. king bolt positions

Call for more information on tel. 87244370 - or send us an email salg@scanvo.dk







