

Hangler 3-aks, Hydraulisk ramper, Galvaniseret., Low loader



SCANVO
TRUCKS DANMARK A/S



Scanvo Trucks Danmark A/S
Hårup Skovvej 7, Hårup
8600 Silkeborg

Sælger
Salgsafdeling
salg@scanvo.dk
+45 8724 4370
+45 3046 2148 / +45 2498 2148

Registration	
Model year	2025
Ref. no.	4556
Basis	
Type	Trailer
Aksel	3
Stand	Brand new
Tyres	
% remaining	100
Dimensions	235/75R22,5

Brakes	
Drum brakes	✓
Weight	
Loading capacity kg	17900
Overall weight kg	24000
Tare weight kg	6100
Total weight, low loader kg	33000
Load capacity, low loader kg	26900
Low loader	
Hydraulic ramps	✓
Truck body / box	
Bottom	Træ
Lashing rings in the bottom	✓

Coupling	
Electrical coupling	2x7-polet
Air-coupling	Duo-matic
Manufacturer	57 mm
Coupling height mm	800
Suspension	
Air	✓
Chassis	
Toolbox	✓
Total length mm	9800-10400
Shaft type	SAF

Beskrivelse

Hangler 3-axle machine trailer with hydraulic ramps and galvanized chassis

SAF axles with drum brakes - Air-sprung - Tool box - Extra work light - 9800-10400 mm coupling length - 800mm coupling height - 2x7-pole electrical plug - Duo-matic air coupling - 57mm towing eye - 235/75R22.5 tire mounting.

- Galvanized chassis - Retractable extensions in the edge rail - Extension planks in the middle of the bed base - Extendable and removable wide load signs - 10-tonne + 5-tonne lashing eyes - Hydraulic ramps 2,800x750mm - Ramps manually side-shiftable - Bed base covered with 70mm larch wood - Storage space at the front of the landing.

Height of built-in shed floor approx. 880mm - Height of shed bottom landing approx. 1,080mm - Length of built-in shed floor at the outermost approx. 6,000mm - Length of shed bottom landing approx. 1,750mm - Length of the slope between the landing-reduced approx. 300mm.

Contact Scanvo +45 87244370 or email salg@scanvo.dk for further information.



