

Brakes





Scanvo Trucks Danmark A/S Hårup Skovvej 7, Hårup 8600 Silkeborg

Sælger Salgsafdeling salg@scanvo.dk +45 8724 4370 +45 3046 2148 / +45 2498 2148

Registration	
Model year	2026
Chassis number (VIN)	0017
Ref. no.	7862
Brand new	✓
Basis	
Туре	Drawbar
Aksel	2
Stand	Brand new
Tyres	
% remaining	100
Dimensions	205/65R17,5
Auto transport	
Platform length	6200
Low loader	
Single ramp	❤

Drum brakes	✔
ABS	√
Weight	
Loading capacity kg	10000
Overall weight kg	14400
Tare weight kg	3400
King pin kg	1000
Coupling	
Electrical coupling	2 stk. 7 polet + EPS
Air-coupling	DuoMatic
Manufacturer	57 mm trækøje
V "KN air"	33
V "KN no air"	44
D-value for the drawk	oar 89
Coupling height mm	650-900 mm

Dimensions	
External width mm	2550
External length mm	8150
Internal width mm	2480
Internal length mm 6200 = 5300 plan + 900	knæk
Truck bed height mm	850
Suspension	
Air	✓
Chassis	
Axle load, rear kg $6750 + 6750 =$	13500
Toolbox	✓
Total length mm ca. 808	80 mm
Shaft type	SAF
Truck body / box	
Boards	₩
Height of boards mm 40	0 mm
Lashing rings in the bottom	✓
Lashing rails on the sides	✓

Beskrivelse

New Hangler TPS-H 140, 2-axle cart for machine transport

Total weight 14,400 kg Low net weight and new optimized payload of approx. 11,000 kg

Let length incl. hinge 6,200 mm - 5300 mm on plan piece + hinge 900 mm - Iron dry shed bottom - Removable 400 mm alu. pages 2 x 6 pcs. Collapsible 3 ton lashing rings in bed edge - Loading height 850 mm - Manual spring-actuated ramps L 2300 x W 510 mm in galvanized steel, covered with wooden planks with strong gas spring, for

As a retailer of products from the Austrian manufacturer Hangler, which for many years has produced powerful, strong trailer products for some of the toughest tasks. The product range is wide ranging - from machine, built-in, heavy load or curtain trailers, carts, etc. with this you receive a well-equipped product for the tough tasks that are often carried out in the Scandinavian and Nordic countries.

operation by 1 person, can be moved laterally manually

Adjustable coupling height from 650 to 900 mm with 57 mm draw eye - The coupling length is approx. 8150 mm

SAF axles - drum brakes - raising/lowering valve for air suspension

205/65R17.5 twin mounted tire M+S approved

2 pcs. stop globes in magazine holder + Support legs in the back to relieve the chassis when loading

1 piece. tool box mounted under the bed

LED tail lights - 2 pcs LED tail lights and 2 pcs. sling lights

Supplied in RAL 9005 Tiefschwarz black finish lacquer

For new orders, it can be delivered in a RAL color of your choice

Call for more info can be delivered in other designs with a larger total/payload

See our large selection of new and used machine trailers and trailers on our website www.scanvo.dk































