

## 20 ton wirehejs - 6 - 7,0 mtr containere, Container system



Scanvo Trucks Danmark A/S  
Hårup Skovvej 7, Hårup  
8600 Silkeborg

Sælger  
Salgsafdeling  
salg@scanvo.dk  
+45 8724 4370  
+45 3046 2148 / +45 2498 2148

Registration		Tyres		Coupling	
Model year	2002	% remaining	30/50 - 50/60	Electrical coupling	EBS + 15 polet lysstik
Reg. date	07-05-2002	Dimensions	275/70R22,5	Air-coupling	Duromatic
Reg. no.	EX4874	<b>Brakes</b>		Manufacturer	57 mm træk øje
Latest inspection	17-06-2025	Drum brakes	✓	V "KN air"	56
Ref. no.	Thorup	ABS	✓	Coupling height mm	850
<b>Basis</b>		<b>Weight</b>		<b>Suspension</b>	
Type	Drawbar	Loading capacity kg	15050	Air	✓
Aksel	2	Overall weight kg	20000	<b>Chassis</b>	
Stand	Fine	King pin kg	1000	Toolbox	✓
				Total length mm	8300
				Hydraulic 2.	✓
				Shaft type	BPW
				Fixed bumper	✓

### Beskrivelse

SH 20 ton wire rope hoist trolley

SH 20 ton 3 way wire rope hoist - 2 container stops with variable dimensions of 430 mm - from towing eye to center towing roller 3000 mm 5450 mm center tip tube - rear stop measurement to front towing roller rear stop = 5720 mm - front stop + 5470 mm remote controlled hoist with 2 remote controls included - 2 oil lines to front carriage  
Can drive 6 - 7.0 mtr. container - height to top edge of container rollers approx. 1150 mm - fixed bumper

previously prepared for air outlet for automatic tailgate not mounted

57 mm tow eye coupling height 850 mm - coupling length 8300 mm

BPW axles - drum brakes - air suspension - raising/lowering valves - toolbox

LED lights and EBS + 15 pin light connector

Appears in normal condition according to year - delivered with an inspection from

Contact Scanvo Trucks Danmark A/S +45 87 24 43 70 - or via email: salg@scanvo.dk

Visit our website [www.scanvo.dk](http://www.scanvo.dk) always more than 300 units in stock - We also have a transport solution





